

## 2016-2017 MSBO Bus Purchase Program Options (Updated 8/17/16)

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
<b>BODY OPTIONS</b>					
Access Compartment B100 – Delete access compartment	✓	✓	✓	✓	
Air Conditioning, In Dash B110 – For driver only	✓			✓	✓
Air Conditioning B112 - Bus Air, BA 65, 65,000 BTU	✓	✓		✓	✓
Air Conditioning B113 - Bus Air, BA 80, 80,000 BTU	✓	✓		✓	✓
Air Conditioning B114 - Bus Air, BA 110, 110,000 BTU	✓	✓		✓	
Air Conditioning B115 - Bus Air, BA 120, 120,000 BTU	✓	✓		✓	
Air Conditioning B118 – Carrier AC77722, 70,000BTU	✓	✓	✓	✓	
Air Conditioning B119 – Carrier AC82722, 80,000 BTU	✓	✓	✓	✓	
Air Conditioning B120 – Carrier AC92222, 90,000 BTU	✓	✓	✓	✓	
Air Conditioning B121 – Carrier AC11122, 96,000 BTU	✓	✓	✓	✓	
Air Conditioning B122 – Carrier AC12w1133, 124,000 BTU	✓	✓	✓	✓	
Air Conditioning B123 - Carrier AC5W13, 53,000btu					✓
Air Conditioning B126 - Carrier AC126K, 124,000BTU (rear & front in-wall evaporators, dual TM 21 compressor)	✓	✓	✓	✓	
Air Conditioning B127 - Carrier AC12li4i10R4 w/KR4 roof condenser, 124,000BTU (rear & front in-wall evaporators, dual TM 21 compressor)	✓	✓	✓	✓	
Air Conditioning B128 – Carrier AC430, variable BTU	✓	✓	✓	✓	✓
Air Conditioning B129 - Thermo King Michigan TM-552-MS, center-plenum, dual discharge system w/TM-21 compressor, 103,000 BTU (includes 5-yr warranty)	✓	✓	✓	✓	✓
Air Conditioning B131 - Thermo King SR50C-C, center-plenum, dual discharge system w/TM-21 compressor, 103,000 BTU	✓	✓	✓	✓	✓
Air Conditioning B132 - Thermo King-SLR-65-65, dual center plenum, double-dual discharge system w/2 TM-21 compressors, 130,000 BTU	✓	✓	✓	✓	✓
Air Conditioning	✓	✓	✓	✓	✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
B133 – Espar Egardian MII-12KW, fuel fired coolant heater w/5-year warranty					
Air Conditioning B134 – Spheros System; CC145, 65,000 BTU, roof top	✓	✓	✓	✓	
Air Conditioning B135 – Spheros System; Dual CC145, 130,000 BTU, roof top	✓	✓	✓	✓	
Air Foil, Rear B140 – Add rear air foil (state brand)	✓	✓	✓	✓	✓
Aisle Strips B150 – Plastic	✓	✓		✓	✓
Aisle Strips B151 – Stainless steel	✓	✓	✓	✓	✓
Aisle Strips B152 – Delete aisle strips					✓
All Light Monitor System B160 - Add all light monitor system	✓	✓	✓	✓	✓
Antenna B170 - Flexible rubber radio antenna	✓	✓	✓	✓	✓
Back Up Alarm and Sticker B180 - Delete base spec	✓	✓	✓	✓	✓
Battery Box B185 - Mounted on body					✓
Battery Cut Off Switch B190 - Add battery cut off switch	✓	✓	✓	✓	✓
Battery Slide Out Tray B200 - Stainless steel	✓	✓	✓	✓	
Booster Pump B210 – Add booster pump	✓	✓	✓		
Booster Pump B211 – MP Brand, high output	✓	✓	✓	✓	
Bus Lock Up System B220 - Back only	✓	✓	✓	✓	✓
Bus Lock Up System B221 - Front only	✓	✓	✓	✓	✓
Bus Lock Up System B222 - All doors	✓	✓	✓	✓	✓
Color, Interior B230 - Walls blue	✓	✓	✓	✓	✓
Color, Interior B231 - Walls green	✓	✓		✓	✓
Color, Interior B232 - Walls gray	✓	✓	✓	✓	✓
Color, Interior B233 - Walls beige	✓	✓		✓	✓
Color, Interior B234 - Walls white	✓	✓	✓	✓	✓
Crossing Gate Arm B240 - Air w/stow bracket	✓	✓	✓	✓	
Crossing Gate Arm B241 - Electric w/stow bracket	✓	✓	✓	✓	✓
Crossing Gate Arm B242 - Air w/magnet	✓	✓	✓	✓	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Crossing Gate Arm B243 - Electric w/magnet	✓	✓	✓	✓	✓
Defogger Fans B250 - Increase from 2 to 3	✓	✓	✓	✓	
Door, Entrance B260 - Electric, double out, split type	✓	✓	✓	✓	✓
Door, Entrance B261 - Manual, double out, split type	✓		✓	✓	
Door, Entrance, Dryer B270 – Ambient air dryer for air door	✓	✓	✓	✓	
Entrance Step B275 - Driver's side					✓
Exit, Emergency Door, left side B280 – 28" door opening, flip seat	✓	✓	✓	✓	
Exit, Emergency Window B290 – Increase from 2 to 4	✓	✓	✓	✓	
Exit, Emergency Door Latch B300 - 3-point latch	✓	✓	✓	✓	
Exit, Evacuation Step B310 - Step & handle at rear door	✓		✓	✓	
Exit, Roof Hatch B320 – 1 Transpec Low Profile, 1170 series	✓	✓	✓	✓	✓
Exit, Roof Hatch B321 – 1 Transpec Low Profile 1970 series	✓	✓	✓	✓	✓
Exit, Roof Hatch B322 - 2 Transpec Low Profile 1970 series	✓	✓	✓	✓	✓
Exit, Roof Hatch B323 – 1 Specialty ProLo 9240 series	✓	✓	✓	✓	✓
Exit, Roof Hatch B324 – 2 Specialty ProLo 9240 series	✓	✓	✓	✓	✓
Exit, Roof Hatch Power Vent B342 – 1 Transpec Low Profile 1670 series	✓	✓	✓	✓	✓
Exit, Roof Hatch Power Vent B343 – 2 Transpec Low Profile 1670 series	✓	✓	✓	✓	✓
Fenderette B350 - Metal fenderettes	✓	✓	✓	✓	✓
Fenderette B351 - Rubber fenderettes	✓	✓	✓	✓	✓
Flat floor package (does not include securements) B360 – 39" seats/3 seatbelts/front lift door				✓	
Flat floor package (does not include securements) B361 – 36" seats/2 seatbelts/front lift door				✓	
Flat floor package (does not include securements) B362 – 36" seats/2 seatbelts/rear lift door				✓	✓
Floor Covering B370 - Rubberized colored flooring	✓	✓	✓	✓	✓
Floor Covering B371 - Colored flooring	✓	✓	✓	✓	✓
Floor Covering B372 - 1 piece, black	✓	✓	✓	✓	✓
Floor Covering B373 - 1 piece, gray	✓	✓		✓	✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Floor Tracking System B380 – 4 floor rows/1 row over windows/L-track	✓	✓	✓		✓
Fuel Filler Door B390 – Door only	✓	✓	✓	✓	✓
Fuel Filler Door B391 - Locking with key	✓	✓	✓	✓	✓
Fuel Filler Door B392 - Latching	✓	✓	✓	✓	✓
Heater, Auxiliary B410 – ProHeat X45, 45,000 BTU, quartz timer	✓	✓	✓	✓	
Heater, Auxiliary B411 – Webasto D5LC, 45,000 BTU, quartz timer	✓	✓	✓	✓	
Heater, Auxiliary B415 – Webasto, 17,000 BTU, quartz timer	✓			✓	✓
Heater, Auxiliary B416 - Extra compartment only; no heater	✓	✓	✓	✓	
Heater, Auxiliary B417 – Ventech LHG-513, 45,000btu, automatic	✓	✓	✓	✓	✓
Heater, Hoses B420 - Reroute hoses under side “E” door	✓	✓	✓	✓	
Heater, Mid-body Rear B430 – 50,000 BTU	✓	✓	✓	✓	✓
Heater, Mid-body Rear B431 - 80,000 BTU	✓	✓	✓	✓	
Heater, Shut-Off Valve B440 - Locate valve on engine block	✓	✓	✓	✓	
Inspection Plate B445 - Fuel sending, 8”x8”					✓
Lettering and Trim B450 – Substitute Reflexite tape	✓	✓	✓	✓	✓
Lettering and Trim B451 – Replace 2” tape w/6” Scotchlite tape	✓	✓	✓	✓	✓
Lettering and Trim B452 – Replace 2” tape w/6” Reflexite tape	✓	✓	✓	✓	✓
Light Visor B455 - Overhead flasher light visor	✓			✓	
Light, Exterior B460 – Light check system	✓			✓	✓
Light, Landing B470 - Delete landing light	✓	✓	✓	✓	✓
Lights B485 - Downgrade to bulb style	✓	✓	✓	✓	✓
Lights, Clearance B490 – Delete armored marker	✓	✓	✓	✓	✓
Lights, Clearance B491 - Downgrade to bulb style	✓	✓	✓	✓	✓
Lights, LED B500 – Sound Off brand for LED package	✓	✓	✓	✓	✓
Lights, Overhead Warning B482 - LED strobe lights	✓	✓	✓	✓	✓
Lights, Strobe B480 - Delete light & wiring	✓	✓	✓	✓	✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Lights, Strobe B481 - Delete light; wiring to remain	✓	✓	✓	✓	✓
Metal Body B510 - 20-gauge metal (downgrade)	✓	✓	✓	✓	
Mirror System B520 - Increase driver mirror to 10"x30"	✓	✓	✓	✓	
Mirror Timer B525 - Timer for heated mirror	✓	✓	✓	✓	✓
Mirrors, Crossview B530 – MirrorLite High Definition, unheated	✓	✓	✓	✓	
Mirrors, Crossview B531 – MirrorLite High Definition, heated	✓	✓	✓	✓	
Mirrors, Crossview B537 - Rosco, Eye-Max LP, heated	✓	✓	✓	✓	
Mirrors, Crossview B538 - Rosco, Eye-Max LP, unheated	✓	✓	✓	✓	
Mirrors, Crossview B539 – Rosco I-max, heated	✓		✓	✓	✓
Mirrors, Crossview B540 – Rosco I-max, unheated	✓		✓	✓	✓
Mirrors, Crosssview B543 - Rosco Hawk Eye, heated	✓	✓	✓	✓	
Mirrors, Crosssview B544 - Rosco Hawk Eye, unheated	✓	✓	✓	✓	
Mirrors, Crosssview, Arms B555 - Stainless steel arms	✓	✓	✓	✓	✓
Mirrors, Rearview B568 - Rosco EuroStyle, heated	✓	✓	✓	✓	✓
Mirrors, Rearview B569 - Rosco EuroStyle, remote, heated	✓	✓	✓	✓	✓
Mirrors, Rearview B571 - Rosco Open View, unheated	✓	✓	✓	✓	✓
Mirrors, Rearview B572 - Rosco Open View, remote, heated, split view	✓	✓	✓	✓	✓
Mirrors, Rearview B573 - Rosco Open View ES, heated	✓	✓	✓	✓	✓
Mirrors, Rearview B574 - Rosco Open View ES, unheated	✓	✓	✓	✓	✓
Mirrors, Rearview B575 - Rosco Open View ES, remote, heated, split view	✓	✓	✓	✓	✓
Mirrors, Rearview B576 – Rosco Accustyle heated, remote	✓	✓	✓	✓	✓
Mirrors, Rearview B577 – Rosco Accustyle, heated	✓	✓	✓	✓	✓
Mirrors, Rearview B578 – Rosco Accustyle, non-heated	✓	✓	✓	✓	✓
Mirrors, Rearview Arms B590 - Stainless steel arms	✓	✓	✓	✓	✓
Noise Reduction System B595 - Perforated ceiling, full bus	✓	✓	✓	✓	✓
Paint, Hood B600 - Anti-glare, yellow	✓			✓	✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Paint, Roof B605 - White, polyurethane	✓	✓	✓	✓	✓
Panel, Shoulder Pad B610 - Full bus length	✓	✓	✓	✓	
Power Source B615 - 12-volt power source in driver's area	✓	✓	✓	✓	
Radio & Public Address System B620 - PA system inside only; no radio system	✓	✓	✓	✓	
Radio & Public Address System B621 - PA system inside and outside; no radio system	✓	✓	✓	✓	
Radio & Public Address System B622 - AM/FM radio, PA system inside	✓	✓	✓	✓	
Radio & Public Address System B623 - AM/FM radio, PA system inside & outside	✓	✓	✓	✓	
Radio & Public Address System B624 - AM/FM radio, CD, clock; no PA system	✓	✓	✓	✓	
Radio & Public Address System B625 - AM/FM radio, CD, clock, PA system inside	✓	✓	✓	✓	
Radio & Public Address System B626 - AM/FM radio, CD, clock, PA system in/out	✓	✓	✓	✓	
Roof Vent, Static B640 - Power, in second section of roof	✓	✓	✓	✓	
Rust Proofing B645 - All interior doors	✓	✓	✓	✓	
Rust Proofing, Stepwell B647 - Anti-corrosion spray coating, inside & outside	✓	✓	✓	✓	
Rust Proofing, Bumper B649 - Anti-corrosion spray coating, inside & outside	✓	✓	✓	✓	
Sashes, Side B650 - Painted flat black	✓	✓	✓	✓	
Seat, Barrier B655 - Additional track mounted barrier only (each)				✓	
Seat, Driver's B660 - Bostrom 915, air ride w/o arm rests	✓	✓	✓	✓	
Seat, Driver's B661 - Bostrom 915, air ride w/arm rest	✓	✓	✓	✓	
Seat, Driver's B662 - Bostrom, self-contained				✓	
Seat, Driver's B663 - National, air ride w/o arm rests	✓	✓	✓	✓	
Seat, Driver's B664 - National, air ride w/1 arm rest	✓	✓	✓	✓	
Seat, Driver's B665 - National, air ride w/o arm rest, self contained	✓	✓	✓	✓	
Seat, Driver's B666 - National, air ride w/arm rest, self contained	✓	✓	✓	✓	
Seat, Driver's B667 - National air ride w/integrated seat belt, air source, self-contained	✓	✓	✓	✓	
Seat, Driver's B668 - National air ride w/integrated seat belt, air source	✓	✓	✓	✓	
Seat, Driver's B669 - Magnum, air	✓	✓	✓	✓	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Seat, Driver's B670 - Magnum, mechanical	✓	✓	✓	✓	
Seat, Driver's, Belt B676 - Driver's belt, blaze orange	✓	✓	✓	✓	✓
Seats, Child Restraint B680 - IMMI SafeGuard, floor mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B681 - IMMI SafeGuard, track mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B682 - BESI Pro-Tech III	✓	✓	✓	✓	✓
Seats, Child Restraint B683 - 30" CE White, QS 3 pt. belts	✓	✓	✓	✓	✓
Seats, Child Restraint B684 - 30" CE White, QS 3 pt. belts, track mount	✓	✓	✓	✓	✓
Seats, Child Restraint B685 - 39" CE White, QS 3 pt. belts	✓	✓	✓	✓	✓
Seats, Child Restraint B686 - CE White Student Safety Seat 36" flr mnt (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B687 - CE White Student Safety Seat 36" trk mnt (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B688 - CE White 30", floor mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B689 - CE White 30", track mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B690 - CE White 39", floor mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B691 - CE White 39", track mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B692 - 30" CE White, QSCR 3 pt. belts	✓	✓	✓	✓	✓
Seats, Child Restraint B693 - 30" CE White, QSCR 3 pt. belts, track mount	✓	✓	✓	✓	✓
Seats, Child Restraint B694 - 36" CE White, QSCR 3 pt. belts	✓	✓	✓	✓	✓
Seats, Child Restraint B695 - 36" CE White, QSCR 3 pt. belts, track mount	✓	✓	✓	✓	✓
Seats, Child Restraint B696 - 39" CE White, QSCR 3 pt. belts	✓	✓	✓	✓	✓
Seats, Child Restraint B697 - SynTec S3C, 36" floor mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B698 - SynTec S3C, 36" track mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B699 - SynTec S3C, 39" floor mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B700 - SynTec S3C, 39" track mount (per seat)	✓	✓	✓	✓	✓
Seats, Fire Block B703 - Delete fire block	✓	✓	✓	✓	✓
Seats, Passenger B705 - Deduct for delete seat (per seat)	✓	✓	✓	✓	✓
Seats, Passenger, Replaceable Back B707 - For child restraint/3 point belts, 39" (per seat)	✓	✓	✓	✓	✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Seats, Passenger, Replaceable Back B708 – For child restraint/3 point belts, 36” (per seat)	✓	✓	✓	✓	✓
Seats, Passenger, Replaceable Back B709 – For child restraint/3 point belts, 30” (per seat)	✓	✓	✓	✓	✓
Seats, Passenger: Color B710 - Green/light green	✓	✓	✓	✓	✓
Seats, Passenger: Color B711 - Brown/Beige	✓	✓	✓	✓	✓
Seats, Passenger: Color B712 - Blue/light blue	✓	✓	✓	✓	✓
Seats, Passenger: Color B713 – Gray	✓	✓	✓	✓	✓
Seats, Passenger: Color B714 – Burgundy	✓	✓	✓	✓	✓
Seats, Passenger: Restraining B720 - Seatbelts, 2 per seat, entire bus	✓	✓	✓		✓
Seats, Passenger: Restraining B721 - Seatbelts, 3 per seat, entire bus	✓	✓	✓		✓
Seats, Track-mounted B731 - 36” seat w/2 seatbelts (per seat)	✓	✓	✓	✓	✓
Seats, Track-mounted B732 - 39” seat w/3 seatbelts (per seat)	✓	✓	✓	✓	✓
Seats, Track-mounted B733 – Deduct 39” seat (per seat)				✓	
Severe Service Package B740 – Must meet Colorado Racking Test	✓	✓	✓	✓	✓
Step Tread B750 – Pebble tread w/metal backing	✓	✓	✓	✓	✓
Step Tread B751 – Pebble tread-heated w/metal backing	✓	✓	✓	✓	✓
Step Tread B752 – Pebble tread-w/nonmetal backing	✓	✓	✓	✓	✓
Stepwell B755 – Stainless steel	✓	✓	✓	✓	✓
Stop Arm Signals B760 - Specialty, air	✓	✓	✓	✓	
Stop Arm Signals B761 - Specialty, air LED light	✓	✓	✓	✓	✓
Stop Arm Signals B762 - Specialty, electric	✓	✓	✓	✓	✓
Stop Arm Signals B763 – Transpec 6000, electric, 2-light	✓	✓	✓	✓	✓
Stop Arm Signals B764 - Transpec 6000, electric LED lights	✓	✓	✓	✓	✓
Stop Arm Signals B765 - Front & rear; Specialty, air	✓	✓	✓	✓	
Stop Arm Signals B766 - Front & rear; Specialty, electric	✓	✓	✓	✓	✓
Stop Arm Signals B767 - Front & rear; Transpec 6000, electric, 2-light	✓	✓	✓	✓	✓
Storage Compartment, Small (50-65”) B770 – With light, cable & lock (each)	✓	✓	✓	✓	



OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Storage Compartment, Small (50-65") B771 – With light, gas spring & lock (each)	✓	✓	✓	✓	
Storage Compartment, Med (70-90") B772 – With light, cable & lock (each)	✓	✓	✓	✓	
Storage Compartment, Med (70-90") B773 – With light, gas spring & lock (each)	✓	✓	✓	✓	
Storage Compartment, Large (90-105") B774 – With light, cable & lock (each)	✓	✓	✓	✓	
Storage Compartment, Large (90-105") B775 – With light, gas spring & lock (each)	✓	✓	✓	✓	
Storage Compartment Location B780 – Luggage passthrough w/lights, gas spring & lock		✓			
Storage Compartment Driver's Area B781 – Over drivers sash window	✓	✓	✓	✓	
Storage Pouch B782 - Mounted on barrier behind driver	✓	✓	✓	✓	✓
Student Reminder System B793 - Delete Student Reminder System	✓	✓	✓	✓	
Sunshade B800 – 10"x30"	✓	✓	✓	✓	✓
Wheel Housing B810 – Omit rear wheel housing	✓		✓		✓
Wheelchair Entry B822 - Front lift door w/Braun NL919IB, 34" wide	✓	✓		✓	
Wheelchair Entry B823 - Front lift door w/Braun NCL919IB, 34" wide	✓			✓	
Wheelchair Entry B824 - Front lift door w/Ricon ADA S5003	✓	✓		✓	
Wheelchair Entry B828 - Midship lift door w/Braun NL919IB, 34" wide	✓	✓	✓	✓	
Wheelchair Entry B829 - Midship lift door w/Ricon ADA S5003	✓	✓	✓	✓	
Wheelchair Entry B834 - Rear lift door w/Braun NL919IB, 34" wide	✓	✓	✓		✓
Wheelchair Entry B835 - Rear lift door w/Braun NCL919IB, 34" wide	✓		✓	✓	✓
Wheelchair Entry B836 - Rear lift door w/Ricon lift	✓	✓	✓	✓	✓
Wheelchair Entry Latch B845 - 3-point latch	✓	✓	✓	✓	✓
Wheelchair SecUREMENTS (L-Track) B850 - Sure-Lok Retraktor FF612S-4C (each)	✓	✓	✓	✓	✓
Wheelchair SecUREMENTS (L-Track) B853 - Q-Straint Q-8100-A1 QRT (each)	✓	✓	✓	✓	✓
Wheelchair SecUREMENTS (L-Track) B854 - Q-Straint Q-8300-A1QRT (each)	✓	✓	✓	✓	✓
Windows, Frost Free, Driver B860 - Add frost-free driver's window	✓	✓	✓	✓	✓
Windows, Frost Free, Upper Entrance B861 - Add frost-free upper entrance door window	✓	✓	✓	✓	✓
Windows, Frost Free, Lower Entrance B862 - Add frost-free lower entrance door window	✓	✓	✓	✓	✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Windows, Frost Free, Left-hand Passenger B863 - Add frost-free left-hand passenger window(s) (qty)	✓	✓	✓	✓	✓
Windows, Frost Free, Right-hand Passenger B864 - Add frost-free right-hand passenger window(s) (qty)	✓	✓	✓	✓	✓
Window, Rear B870 - Tempered, 28% tinted	✓	✓	✓	✓	✓
Window, Rear B871 - Laminated, 28% tinted	✓	✓	✓	✓	✓
Windows B875 - Delete 28% tinted	✓	✓	✓	✓	✓
Windows B876 - Laminated, 28% tinted	✓	✓	✓	✓	✓
Windshield B880 - 2-piece curved	✓	✓	✓	✓	
<b>CHASSIS OPTIONS</b>					
Air Dryer C101 - Bendix AD-IP dryer w/spin-on filter	✓	✓	✓	✓	
Alternator C120 - 200-amp, Bosch	✓	✓		✓	✓
Alternator C121 - 200-amp, Leece-Neville	✓	✓	✓	✓	
Alternator C122 - 220-amp, Leece-Neville	✓	✓	✓	✓	
Alternator C123 - 240-amp, Leece-Neville	✓	✓	✓	✓	
Alternator C124 - 270-amp, Leece-Neville	✓	✓	✓	✓	
Alternator C125 - 320-amp, Leece-Neville	✓	✓	✓	✓	✓
Axle, Front: minimum load C139 - 7,000 lbs.					✓
Axle, Front: minimum load C140 - 8,000-lbs.	✓			✓	
Axle, Front: minimum load C141 - 9,000-lbs.	✓			✓	
Axle, Front: minimum load C142 - 12,000-lbs.	✓			✓	
Axle, Front: minimum load C143 - 14,000 lbs.		✓	✓		
Axle, Front: minimum load C144 - 14,600 lbs.		✓	✓		
Axle, Rear: minimum load C149 - 13.500 lbs.					✓
Axle, Rear: minimum load C150 - 19,000 lbs.	✓		✓	✓	
Axle, Rear: minimum load C151 - 20,000 lbs.	✓				
Axle, Rear: minimum load C152 - 21,000 lbs.	✓	✓	✓	✓	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Axle, Rear: minimum load C153 - 23,000 lbs.	✓	✓	✓	✓	
Batteries C160 – 1 8d, 12-volt, 1400-CCA	✓	✓	✓	✓	
Batteries C161 – 2 12-volt, 650-CCA	✓	✓	✓	✓	
Batteries C162 - 2 8d, 12-volt, 1400-CCA	✓	✓	✓	✓	
Batteries C163 – 3 12-volt, 950-CCA	✓	✓	✓	✓	
Brake Dust Shield C170 – Brake dust shield on all wheels	✓	✓	✓	✓	
Brakes, ABS, Hydraulic C175 - Hydraulic, must delete all air equipment	✓		✓	✓	
Brakes, ABS, Hydraulic C176 - Hydraulic, retain air accessories	✓		✓	✓	
Brakes, Air Disc C178 - Air disc brakes	✓		✓	✓	
Brakes, Traction Control C180 – For air brakes	✓	✓	✓	✓	
Brakes, Traction Control C181 – For hydraulic brakes	✓			✓	
Cruise Control C190 - Delete Cruise Control	✓	✓	✓	✓	
Fan Drive C195 - Electromagnetic On/Off Type	✓	✓	✓	✓	
Engine C200 - Cummins ISB 200hp w/PTS2500 trans	✓	✓	✓	✓	
Engine C201 - Cummins ISB 220hp, 520 torque, PTS2500 trans	✓	✓	✓	✓	
Engine C202 - Cummins ISB 240hp w/PTS2500 trans	✓	✓	✓	✓	
Engine C203 - Cummins ISB 250hp w/PTS2500 trans	✓	✓	✓	✓	
Engine C204 - Cummins ISB 220hp, 600 torque, PTS2500 trans	✓	✓	✓	✓	
Engine C205 - Cummins ISB 260hp w/PTS3000 trans	✓	✓	✓	✓	
Engine C206 - Cummins ISB 280hp w/PTS3000 trans		✓	✓		
Engine C207 - Cummins ISB 300hp w/PTS3000 trans		✓			
Engine C210 – MaxxForce DT 215hp w/PTS2500 trans		✓			
Engine C211 – MaxxForce DT 215hp w/PTS3000 trans		✓			
Engine C212 – MaxxForce DT 230hp w/PTS2500 trans		✓			
Engine C213 – MaxxForce DT 230hp w/PTS3000 trans		✓			
Engine C214 - Maxxforce DT 230hp HiTorque w/PTS2500 Trans		✓			

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Engine C215 – MaxxForce DT 230hp HiTorque w/PTS3000 trans		✓			
Engine C216 - Maxxforce DT 245hp HiTorque w/PTS2500 trans		✓			
Engine C217 - Maxxforce DT 255hp HiTorque w/PTS 2500 trans		✓			
Engine C218 - Gasoline Engine, 6.8 L w/Ford Trans	✓			✓	✓
Engine C220 - Propane Engine, 6.8 L w/Ford trans	✓			✓	✓
Engine C221 - Propane Engine, PSI 8.8 L w/PTS 2500 Transmission	✓			✓	
Engine C222 - Propane Engine, 8.0 L w/Allison 2300 Transmission	✓			✓	
Fuel Tank C250 - Decrease to 60-gallon		✓	✓		
Fuel Tank C251 - Increase to 100-gallon diesel tank	✓			✓	
Fuel Tank C252 – Increase to 100-gallon gasoline tank	✓			✓	
Fuel Tank C253 - Increase to 98-gallon propane tank	✓			✓	
Full Instrumentation Package C260 - Low Coolant indicator with audible alarm	✓	✓	✓	✓	✓
Heater Block, Internal (Engine) C270 – 1,000-watt	✓			✓	✓
Heater Block, Internal (Engine) C271 - 1250-watt	✓	✓	✓	✓	
Heater Block, Internal (Engine) C272 - 1500-watt		✓			
Heater Block, Internal (Engine) C273 - Delete block heater	✓	✓	✓	✓	
Heater Block Receptacle C275 – Rear receptacle (replaces front block)	✓	✓	✓	✓	✓
Heater Block, Receptacle C276 – 2 receptacles (both front & rear)	✓	✓	✓	✓	✓
Idle Management Control C280 - Programmable	✓	✓	✓	✓	✓
Motor, Starting C290 – Thermal overcrank protection	✓	✓	✓	✓	✓
Paint, Wheels C300 - Wheels finish coated black inside and out	✓	✓	✓	✓	✓
Pedals, Adjustable C310 – Adjustable brake and accelerator pedals	✓	✓	✓	✓	
Steering C320 – Telescoping steering wheel	✓	✓	✓	✓	
Suspension C330 – Front air ride	✓	✓	✓	✓	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Suspension system C335 - Delete air suspension from air brake bus	✓	✓	✓	✓	
Suspension system C336 - Delete air suspension from hydraulic brake bus	✓		✓	✓	
Suspension system C337 - Parabolic springs, rear only	✓	✓	✓	✓	
Switches, Ignition C350 - Keyed alike	✓	✓	✓	✓	✓
Tires, Michelin XZE C360 - 10R22.5 steer front/rear	✓	✓	✓		
Tires, Michelin XZE C361 - 10R22.5 steer fr; mud/snow rear	✓	✓	✓		
Tires, Michelin XZE C362 - 11R22.5 steer fr; mud/snow rear	✓	✓	✓		
Tires, Michelin XZE C363 - LoPro 255/70R22.5 steer front/rear	✓				
Tires, Michelin XZE C364 - LoPro 255/70R22.5 mud/snow	✓			✓	
Tires, Michelin XZE C365 - LoPro 275/80R22.5 steer fr; mud/snow rear	✓				
Tires, Michelin XZE C366 - LoPro 275/80R22.5 steer front/rear	✓				
Tires, Michelin XZE C367 - 275/80R22.5H	✓	✓	✓	✓	✓
Tires, Michelin XZA2J C368 - 295/60R22.5	✓	✓	✓	✓	✓
Tires, Goodyear C370 - 10R22.5 steer front; mud/snow rear	✓	✓	✓		
Tires, Goodyear C371 - 10R22.5-steer front/rear	✓	✓	✓		
Tires, Goodyear C372 - 10R22.5 mud/snow	✓				
Tires, Goodyear C373 - 11R22.5 steer fr; mud/snow rear	✓	✓	✓		
Tires, Goodyear C374 - 11R22.5 steer front/rear	✓	✓	✓		
Tires, Goodyear C375 - 295/75R22.5	✓	✓	✓	✓	✓
Tires, Goodyear C376 - 295/75R22.5	✓	✓	✓	✓	✓
Tires, Goodyear C377 - LoPro 255/70R22.5 steer front/rear	✓			✓	
Tires, Goodyear C378 - LoPro 255/70R22.5 mud/snow	✓			✓	
Tires, Continental C380 - 10R22.5 steer fr; mud/snow rear	✓	✓	✓	✓	✓
Tires, Continental C381 - 11R22.5 steer fr; mud/snow rear	✓	✓			
Tires, Continental C382 - 11R22.5 steer front/rear	✓	✓			
Tires, Continental C383 - 10R22.5 steer front/rear	✓	✓	✓	✓	✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Tires, Continental C384 – LoPro 255/70R22.5 steer front/rear	✓			✓	
Tires, Hankook C385 – 11R22.5 steer front/rear	✓	✓	✓	✓	
Tires, Hankook C386 – 11R22.5 steer front; mud/snow rear	✓	✓	✓	✓	
Tires, Hankook C387 – 255/70R22.5	✓	✓	✓	✓	✓
Tires, Hankook C388 – 295/75R22.5	✓	✓	✓	✓	✓
Tires, Hankook C389 – 295/75R22.5 FRT/Z35A RR	✓	✓	✓	✓	✓
Tires, Hankook C390 – 10R22.5	✓	✓	✓	✓	✓
Tires, Hankook C391 – 10R22.5 FT/DH01 RR	✓	✓	✓	✓	✓
Tires, Bridgestone C392 – 11R22.5 steer front/rear	✓	✓	✓		
Tires, Bridgestone C393 – 11R22.5 steer fr; mud/snow rear	✓	✓	✓		
Transmission, Oil C400 - Add Castrol Transynd	✓	✓	✓	✓	
Transmission, Automatic C401 – Eaton DCT in Lieu of PTS 2500	✓			✓	
Transmission, Automatic C402 – Eaton DCT in Lieu of PTS 3000	✓			✓	
Transmission, Warranty C411 - 5 year; PTS2500 trans	✓	✓	✓	✓	
Transmission, Warranty C412 - 5 year; PTS3000 trans	✓	✓	✓	✓	
Transmission, Warranty C413 - 5-year					✓
Turn Signals C420 - Side-mounted		✓	✓		
Turn Signals C421 - Fender-mounted	✓			✓	✓
Warranty, Brakes, ABS, Air C431 - 5-year/125,000 miles	✓	✓		✓	
Warranty, Brakes, ABS, Hydraulic C432 - 5-year/125,000 miles	✓			✓	✓
Warranty, Extended C450 – 2 year/unlimited miles	✓	✓	✓	✓	
Warranty, Extended C451 – 3 year/unlimited miles	✓	✓	✓	✓	
Warranty, Extended C452 – 5 year/100,000 miles	✓	✓	✓	✓	✓
Warranty, Corrosion & Structural C460 – 10 years	✓			✓	
Warranty, Engine C465 - 5-year/unlimited mileage					✓
Warranty, Towing C470 – 5 year/100,000 miles	✓	✓	✓	✓	✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Wheels C480 - Iron hub	✓	✓	✓	✓	
Winter Warmup Equipment C490 – Winter front	✓		✓	✓	✓
Winter Warmup Equipment C491 - Hydraulic; radiator shutters	✓		✓	✓	
Winter Warmup Equipment C492 - Air; radiator shutters	✓		✓	✓	

MSBO