2018-2019 MSBO Bus Purchase Program

Options (Updated 8/30/18)

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
BODY OPTIONS					
Access Compartment	√	√	√	√	
B100 – Delete access compartment	V	▼	v	v	
Air Conditioning, In Dash	./			./	./
B110 – For driver only	V			V	V
Air Conditioning	./	✓		./	./
B112 - Bus Air, BA 65, 65,000 BTU	V	•		V	•
Air Conditioning	√	1		√	1
B113 - Bus Air, BA 80, 80,000 BTU	<u> </u>	•		•	.
Air Conditioning	✓	√		√	
B114 - Bus Air, BA 110, 110,000 BTU	Y	•		V	
Air Conditioning	✓	√		√	
B115 - Bus Air, BA 120, 120,000 BTU	,	•		•	
Air Conditioning	\checkmark	✓		√	
B116 – Bus Air BA126, 126,000 BTU System	•	,	· ·	•	
Air Conditioning	\checkmark	\checkmark	✓	\checkmark	
B118 – MCC/Carrier AC-572 max, 70,000 BTU	•	,		•	
Air Conditioning					\checkmark
B123 – MCC/Carrier AC5W13, 53,000btu					
Air Conditioning	/				
B126 – MCC/Carrier AC126K, 124,000 BTU (rear & front	∨	V	V	~	
in-wall evaporators, dual TM 21 compressor)					
Air Conditioning	_		1		
B127 – MCC/Carrier AC-126K w/KR4 roof condenser,	\checkmark		✓	\checkmark	
124,000 BTU (rear & front in-wall evaporators, dual TM 21					
compressor) Air Conditioning					
B128 – MCC/Carrier AC430, variable BTU	\checkmark	\checkmark	✓	✓	\checkmark
Air Conditioning				+	
B129 - Thermo King Michigan TM-552-MS, center-					,
plennum, dual discharge system w/TM-21 compressor,	\checkmark	✓	✓	✓	\checkmark
103,000 BTU (includes 5-yr warranty)					
Air Conditioning					
B131 - Thermo King SR50C-C, center-plennum, dual	\checkmark	✓	✓	✓	\checkmark
discharge system w/TM-21 compressor, 103,000 BTU	•		'		•
Air Conditioning					
B132 - Thermo King-SLR-65-65, dual center plenum,	/				
double-dual discharge system w/2 TM-21 compressors,	V	•	V	V	V
130,000 BTU					
Air Conditioning	./		./	./	
B134 – Spheros System; CC145, 65,000 BTU, roof top	V	V	v	v	
Air Conditioning	,	,			
B135 – Spheros System; Dual CC145, 130,000 BTU,	\checkmark	✓	✓	✓	
roof top					
Air Foil, Rear		1		/	1
B140 – Add rear air foil (state brand)	—	•	*	•	▼
Aisle Strips	✓ <u> </u>	√		✓	√
B150 – Plastic	Y	•		•	▼
Aisle Strips	\checkmark	✓	✓	✓ ✓	✓
B151 – Stainless steel	•		,		•

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
All Light Monitor System	√	-/	./	./	√
B160 - Add all light monitor system	V	V	V	V	V
Antenna	✓	✓	✓	✓	\checkmark
B170 - Flexible rubber radio antenna	<u>,</u>	,	•	· ·	•
Back Up Alarm and Sticker	\checkmark	✓	√	\checkmark	\checkmark
B180 - Delete base spec Battery Box					
B185 - Mounted on body					\checkmark
Battery Cut Off Switch			/		
B190 - Add battery cut off switch	✓	✓	✓	✓	✓
Battery Slide Out Tray	./		./	./	
B200 - Stainless steel	•	V	V	V	
Booster Pump	-/	1	_/		
B210 – Add booster pump	V	V	•		
Booster Pump	✓	✓	\checkmark	✓	
B211 – MP Brand, high output		*		,	
Bus Lock Up System	\checkmark	✓	\checkmark	\checkmark	\checkmark
B220 - Back only Bus Lock Up System					
B221 - Front only	✓	✓	\checkmark	✓	✓
Bus Lock Up System					
B222 - All doors	✓	✓	✓	✓	✓
Color, Interior	./	./		./	./
B230 - Walls blue	•	V	V	V	V
Color, Interior	-/			1	1
B231 - Walls green	V			•	•
Color, Interior	\checkmark		\checkmark	✓	\checkmark
B232 - Walls gray	· .		•	,	
Color, Interior	✓			✓	\checkmark
B233 - Walls beige Color, Interior					
B234 - Walls white	✓	V	✓	✓	✓
Crossing Gate Arm			/		
B240 - Air w/stow bracket	V	V	V	V	
Crossing Gate Arm	./		./	./	./
B241 - Electric w/stow bracket	•	Y	•	V	•
Crossing Gate Arm	✓	✓	✓	✓	
B242 - Air w/magnet		•			
Crossing Gate Arm	\checkmark	✓	√	\checkmark	\checkmark
B243 - Electric w/magnet Defogger Fans					
B250 - Increase from 2 to 3	✓	✓	✓	✓	
Door, Entrance			/	/	
B260 - Electric, double out, split type	✓	✓	✓	✓	✓
Door, Entrance	./		./	./	
B261 - Manual, double out, split type	V		V	V	
Door, Entrance, Dryer	√	<u> </u>	✓	✓	
B270 – Ambient air dryer for air door	•	•	*	ļ , , , ,	
Entrance Step					\checkmark
B275 - Driver's side Exit, Emergency Door, left side			,		
B280 – 28" door opening, flip seat	✓	✓	✓	✓	
Exit, Emergency Window					
B290 – Increase from 2 to 4	✓	✓	✓	✓	
		1	I	ı	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Exit, Emergency Door Latch	√	✓	✓	√	
B300 - 3-point latch	· · · · · · · · · · · · · · · · · · ·	•	,	,	
Exit, Evacuation Step B310 - Step & handle at rear door	\checkmark		✓	✓	
Exit, Roof Hatch					
B320 – 1 Transpec Low Profile, 1170 series	✓	✓	✓	✓	\checkmark
Exit, Roof Hatch			/	/	
B321 – 1 Transpec Low Profile 1970 series	✓	✓	✓	✓	✓
Exit, Roof Hatch	./	./	./	./	./
B322 - 2 Transpec Low Profile 1970 series	V	V	V	V	•
Exit, Roof Hatch	✓	√	✓	√	✓
B323 – 1 Specialty ProLo 9240 series	Y	•	V	•	<u> </u>
Exit, Roof Hatch	\checkmark	\checkmark	✓	✓	\checkmark
B324 – 2 Specialty ProLo 9240 series	· .	<u> </u>	,	, ·	
Exit, Roof Hatch Power Vent	\checkmark	\checkmark	✓	✓	\checkmark
B342 – 1 Transpec Low Profile 1670 series Exit, Roof Hatch Power Vent			,		
B343 – 2 Transpec Low Profile 1670 series	\checkmark	✓	✓	✓	\checkmark
Fenderette					
B350 - Metal fenderettes	✓	✓	V	✓	\checkmark
Fenderette				/	
B351 - Rubber fenderettes	✓	✓	✓	✓	✓
Flat floor package (does not include securements)				./	
B360 – 39" seats/3 seatbelts/front lift door				V	
Flat floor package (does not include securements)				./	
B361 – 36" seats/2 seatbelts/front lift door				V	
Flat floor package (does not include securements)				√	✓
B362 – 36" seats/2 seatbelts/rear lift door				•	<u> </u>
Floor Covering	\checkmark		✓	√	\checkmark
B370 - Rubberized colored flooring	· .			, ·	<u> </u>
Floor Covering	\checkmark		\checkmark	\checkmark	\checkmark
B371 - Colored flooring Floor Covering					
B372 - 1 piece, black	\checkmark	✓	✓	✓	\checkmark
Floor Covering				/	
B373 - 1 piece, gray	✓	V		✓	✓
Floor Tracking System		1	/		
B380 – 4 floor rows/1 row over windows/L-track/1 WC	V	V	V		V
Fuel Filler Door	√	1	1	1	<u> </u>
B390 – Door only	<u> </u>	V	V	y	<u> </u>
Fuel Filler Door	✓	✓	✓	√	✓
B391 - Locking with key	· · · · · · · · · · · · · · · · · · ·	Y	Y	•	•
Fuel Filler Door	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
B392 - Latching					-
Heater, Auxiliary B410 – ProHeat X45, 45,000 BTU, quartz timer	\checkmark	✓	✓	✓	
Heater, Auxiliary					
B411 – Webasto D5LC, 45,000 BTU, quartz timer	\checkmark	✓	✓	✓	
Heater, Auxiliary					
B415 – Webasto, 17,000 BTU, quartz timer	✓			✓	\checkmark
Heater, Auxiliary	./	./	./		
B416 - Extra compartment only; no heater	v	V	v	V	
Heater, Auxiliary					
B417 – Espar Egardian MII-12KW, fuel fired coolant	\checkmark	✓	✓	✓	\checkmark
heater w/5-year warranty					

		TRANS FR	SPEC NEED	A-II
Heater, Hoses	1	1	1	
B420 - Reroute hoses under side "E" door	—	•	V	
Heater, Mid-body Rear	✓	✓	✓	\checkmark
B430 – 50,000 BTU				•
Heater, Mid-body Rear	\checkmark	√	√	
B431 - 80,000 BTU Heater, Shut-Off Valve		,		
B440 - Locate valve on engine block	✓	✓	✓	
Inspection Plate				
B445 - Fuel sending, 8"x8"				✓
Lettering and Trim		/	/	
B450 – Substitute Reflexite tape	✓	✓	✓	✓
Lettering and Trim			1	/
B451 – Replace 2" tape w/6" Scotchlite tape	•	v	V	V
Lettering and Trim	-/	./	./	./
B452 – Replace 2" tape w/6" Reflexite tape	V	V	V	V
Light Visor			1	
B455 - Overhead flasher light visor			V	
Light, Exterior			✓	✓
B460 – Light check system			•	•
Light, Interior	✓		✓	\checkmark
B465 – LED Interior Dome Lights	•	,		
Light, Landing	\checkmark		√	\checkmark
B470 - Delete landing light				
Lights B485 - Downgrade to bulb style	V	\checkmark	✓	\checkmark
Lights, Clearance				
B490 – Delete armored marker	V	✓	✓	✓
Lights, Clearance				
B491 - Downgrade to bulb style	V	✓	✓	✓
Lights, LED		/	1	/
B500 – Sound Off brand for LED package	V	v	V	V
Lights, Overhead Warning			./	./
B482 - LED strobe lights	V	V	V	V
Lights, Strobe		√	√	✓
B480 - Delete light & wiring	,	•	•	•
Lights, Strobe	✓	✓	✓	\checkmark
B481 - Delete light; wiring to remain				•
Metal Body	✓	√	√	
B510 - 20-gauge metal (downgrade)				
Mirror System B520 - Increase driver mirror to 10"x30"	\checkmark	\checkmark	√	
	•	·	,	
Mirror System			✓	
B521 – Lever-lock adjustable 6" x 30"				
Mirror Timer	√	✓	✓	\checkmark
B525 - Timer for heated mirror				
Mirrors, Crossview B530 – MirrorLite High Definition, unheated	\checkmark	\checkmark	✓	
Mirrors, Crossview				
B531 – MirrorLite High Definition, heated	✓	✓	✓	
Mirrors, Crossview	/	/		
B537 - Rosco, Eye-Max LP, heated	✓	✓	✓	
36. 0	/	/		
B538 - Rosco, Eye-Max LP, unheated	✓	~	v	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Mirrors, Crosssview	1	-/	1	./	
B543 - Rosco Hawk Eye, heated	<u> </u>	V	V	V	
Mirrors, Crosssview	✓	√	✓	√	
B544 - Rosco Hawk Eye, unheated	<u> </u>	<u> </u>	,	•	
Mirrors, Crosssview, Arms	\checkmark	\checkmark	\checkmark	✓	\checkmark
B555 - Stainless steel arms	<u> </u>		,		
Mirrors, Rearview	\checkmark	\checkmark	✓	√	\checkmark
B568 - Rosco EuroStyle, heated Mirrors, Rearview			,		
B569 - Rosco EuroStyle, remote, heated	\checkmark	✓	✓	✓	\checkmark
Mirrors, Rearview					
B571 - Rosco Open View, unheated	✓	✓	✓	✓	✓
Mirrors, Rearview		/	1	/	
B572 - Rosco Open View, remote, heated, split view	V	V	v	v	∨
Mirrors, Rearview	./	./	./	./	./
B573 - Rosco Open View ES, heated	V	V	V	V	V
Mirrors, Rearview	1	-/	1	./	./
B574 - Rosco Open View ES, unheated	<u> </u>	V	Y	•	V
Mirrors, Rearview	✓	√		√	✓
B575 - Rosco Open View ES, remote, heated, split view	•	<u> </u>		•	V
Mirrors, Rearview	\checkmark	\checkmark		✓	\checkmark
B576 – Rosco Accustyle heated, remote		<u> </u>	,	•	V
Mirrors, Rearview	\checkmark			√	\checkmark
B577 – Rosco Accustyle, heated Mirrors. Rearview					
B578 – Rosco Accustyle, non-heated	\checkmark	✓	\checkmark	✓	\checkmark
Mirrors, Rearview					
B579 – Super Nickel, heated	✓	✓	✓	✓	✓
Mirrors, Rearview			/	/	/
B580 – Super Nickel, heated & remote	✓	V	✓	✓	✓
Mirrors, Rearview Arms			1	/	
B590 - Stainless steel arms	V	V	V	v	V
Noise Reduction System		1	1	./	./
B595 - Perforated ceiling, full bus	· ·		V	•	V
Paint, Hood	\checkmark			✓	\checkmark
B600 - Anti-glare, yellow	•			•	V
Paint, Roof	\checkmark	✓	\checkmark	✓	\checkmark
B605 - White, polyurethane	<u> </u>				•
Panel, Shoulder Pad B610 - Full bus length	\checkmark	✓	✓	✓	
Power Source					
B615 – 12-volt power source in driver's area	\checkmark	✓	✓	✓	
Radio & Public Address System			/	/	
B620 – PA system inside only; no radio system	✓	✓	✓	✓	
Radio & Public Address System			/	1	
B621 – PA system inside and outside; no radio system	✓	✓	✓	✓	
Radio & Public Address System	./	./	✓	./	
B622 - AM/FM radio, PA system inside	v	v	V	ν	
Radio & Public Address System	<u> </u>		√		
B623 - AM/FM radio, PA system inside & outside	y	•	Y	▼	
Radio & Public Address System	\checkmark	✓	✓	✓	
B624 - AM/FM radio, CD, clock; no PA system	,	•	,	,	
Radio & Public Address System	\checkmark	\checkmark	✓	✓	
B625 - AM/FM radio, CD, clock, PA system inside	·	_	<u>'</u>	·	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Radio & Public Address System	√	1	✓	√	
B626 - AM/FM radio, CD, clock, PA system in/out	<u> </u>	,		•	
Roof Vent, Static	\checkmark	✓	\checkmark	√	
B640 - Power, in second section of roof					
Rust Proofing B645 - All interior doors	\checkmark	✓	✓	✓	
Rust Proofing, Stepwell			,		
B647 - Anti-corrosion spray coating, inside & outside	✓	✓	✓	✓	
Rust Proofing, Bumper			/	/	
B649 - Anti-corrosion spray coating, inside & outside	✓	✓	✓	✓	
Sashes, Side	./	./	./		
B650 - Painted flat black	V	V	V	v	
Seat, Barrier				1	
B655 - Additional track mounted barrier only (each)				V	
Seat, Driver's	✓	√	✓	√	
B660 – Bostrom 915, air ride w/o arm rests	<u> </u>	,	•	,	
Seat, Driver's	\checkmark	✓	\checkmark	√	
B661 – Bostrom 915, air ride w/arm rest	·	,		,	
Seat, Driver's	\checkmark	✓	\checkmark	√	
B663 - National, air ride w/o arm rests Seat. Driver's					
B664 - National, air ride w/1 arm rest	\checkmark	✓	✓	✓	
Seat. Driver's					
B665 - National, air ride w/o arm rest, self contained	✓	✓		✓	
Seat. Driver's				/	
B666 - National, air ride w/arm rest, self contained	✓	V	V	✓	
Seat, Driver's	,		,		
B667 - National air ride w/integrated seat belt, air	\checkmark	✓	✓	✓	
source, self-contained					
Seat, Driver's	1		✓	√	
B668 - National air ride w/integrated seat belt, air source	· · · · · · · · · · · · · · · · · · ·		•	•	
Seat, Driver's	\checkmark		\checkmark	√	
B669 - Magnum, air			,	,	
Seat, Driver's	\checkmark	\checkmark	\checkmark	√	
B670 - Magnum, mechanical Seat, Driver's, Belt			,		
B676 - Driver's belt, blaze orange	\checkmark	✓	✓	✓	✓
Seats, Child Restraint			/		
B680 – IMMI SafeGuard, floor mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint			/	/	
B681 – IMMI SafeGuard, track mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint	./	./	./		
B682 – BESI Pro-Tech III	V	V	V	v	V
Seats, Child Restraint	./	-/	./	./	./
B683 – NexGen 30"CQS 3 pt. belts	V	V	•	V	V
Seats, Child Restraint	✓	√	✓	√	✓
B684 – NexGen 30"CQS 3 pt. belts, track mount	▼	,	*	Y	7
Seats, Child Restraint	\checkmark	✓	✓	✓	\checkmark
B685 – NexGen 39"CQS 3 pt. belts	· · · · · · · · · · · · · · · · · · ·	· .			
Seats, Child Restraint	\checkmark	✓	✓	√	\checkmark
B686 – NexGen 36"CCr 3 pt. belts (per seat) Seats, Child Restraint		<u> </u>			
B687 – NexGen 36'CCr 3 pt. belts, track mount (per seat)	\checkmark	✓	✓	✓	✓
Seats, Child Restraint			,		
B688 – NexGen 30"CCr, floor mount (per seat)	✓	✓	✓	✓	✓
Bood Treaden 30 CCI, Hoor mount (per seat)			l		

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Seats, Child Restraint B689 – NexGen 30"CCr, track mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint					
B690 – NexGen 39"CCr, floor mount (per seat)	\checkmark	✓	✓	✓	✓
Seats, Child Restraint		1	1	1	1
B691 – NexGen 39"CCr, track mount (per seat)	<u> </u>	V			
Seats, Child Restraint B692 – NexGen 30"CQCr 3 pt. belts	\checkmark	✓	\checkmark	✓	✓
Seats, Child Restraint	√	✓	✓	✓	√
B693 – NexGen 30"CQCr 3 pt. belts, track mount Seats, Child Restraint			,	,	
B694 –NexGen 36"CQCr 3 pt. belts	✓	✓	✓	✓	✓
Seats, Child Restraint	√	✓	✓	✓	✓
B695 – NexGen 36"CQCr 3 pt. belts, track mount Seats, Child Restraint			/		
B696 –NexGen 39"CQCr 3 pt. belts	✓	✓	✓	✓	✓
Seats, Child Restraint	✓	✓	✓	√	√
B697 – SynTec S3C, 36" floor mount (per seat) Seats, Child Restraint				,	
B698 – SynTec S3C, 36" track mount (per seat)	\checkmark	✓	V	✓	✓
Seats, Child Restraint	√	1	1	√	1
B699 – SynTec S3C, 39" floor mount (per seat)	<u> </u>	· ·			
Seats, Child Restraint B700 – SynTec S3C, 39"track mount (per seat)	\checkmark	√	\checkmark	✓	✓
Seats, Fire Block	./		-/	./	1
B703 - Delete fire block	<u> </u>	Y	•	V	•
Seats, Passenger B705 - Deduct for delete seat (per seat)	\checkmark	\checkmark	\checkmark	\checkmark	✓
Seats, Passenger, Replaceable Back	./		./	./	./
B707 – For child restraint/3 point belts, 39" (per seat)				Y	
Seats, Passenger, Replaceable Back B708 – For child restraint/3 point belts, 36" (per seat)	\checkmark	V	\checkmark	✓	✓
Seats, Passenger, Replaceable Back	√	1	✓	✓	√
B709 – For child restraint/3 point belts, 30" (per seat) Seats, Passenger: Color			,	,	
B710 - Green/light green	✓	V	✓	✓	✓
Seats, Passenger: Color B711 - Brown/Beige	✓	✓	✓	✓	✓
Seats, Passenger: Color					
B712 - Blue/light blue	V	V	V	v	V
Seats, Passenger: Color	\checkmark	\checkmark	\checkmark	✓	\checkmark
B713 – Gray Seats, Passenger: Color					
B714 – Burgundy	✓	✓	✓	✓	✓
Seats, Passenger: Restraining	\checkmark	√	√		√
B720 - Seatbelts, 2 per seat, entire bus Seats, Passenger: Restraining		,	,		
B721 - Seatbelts, 3 per seat, entire bus	✓	✓	✓		✓
Seats, Track-mounted					√
B729 - 36" seat Seats, Track-mounted					•
B730 - 39" seat					✓
Seats, Track-mounted	√	✓	✓	√	√
B731 - 36" seat w/2 seatbelts (per seat)	•	V	Y	Y	•

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Seats, Track-mounted	√	√	✓	✓	√
B732 - 39" seat w/3 seatbelts (per seat) Seats, Track-mounted	•	,	<u>, </u>	,	•
B733 – Deduct 39" seat (per seat)				✓	
Severe Service Package	./	1	./	./	./
B740 – Must meet Colorado Racking Test	V	V	Y	V	V
Step Tread B750 – Pebble tread w/metal backing	\checkmark	✓	\checkmark	✓	\checkmark
Step Tread B751 – Pebble tread-heated w/metal backing	✓	✓	✓	✓	√
Step Tread	√	√	√	√	√
B752 – Pebble tread-w/nonmetal backing Stepwell			/		
B755 – Stainless steel	✓	✓	✓	✓	✓
Stop Arm Signals B761 - Air LED lights, front only	✓	✓	✓	✓	✓
Stop Arm Signals B762 - Electric, LED lights, front only	✓	✓	✓	✓	✓
Stop Arm Signals B763 – Transpec 7000, electric, LED lights, front only	√	✓	\checkmark	√	✓
Stop Arm Signals	√	✓	✓	√	
B764 - Transpec 7000, electric, LED lights, front & rear Stop Arm Signals	√	/		✓	
B765 - Air, LED lights, front & rear Storage Compartment, Small (50-65")			-	,	
B770 – With light, cable & lock (each)	✓	V	√	✓	
Storage Compartment, Small (50-65") B771 – With light, gas spring & lock (each)	\checkmark	V	\checkmark	✓	
Storage Compartment, Med (70-90") B772 – With light, cable & lock (each)	✓	✓	✓	✓	
Storage Compartment, Med (70-90") B773 – With light, gas spring & lock (each)	✓	V	✓	✓	
Storage Compartment, Large (90-105")	√	√	√	√	
B774 – With light, cable & lock (each) Storage Compartment, Large (90-105")		/	✓	✓	
B775 – With light, gas spring & lock (each) Storage Compartment Location	•	,	<u> </u>	, , , , , , , , , , , , , , , , , , ,	
B780 – Luggage passthrough w/lights, gas spring & lock		✓			
Storage Compartment Driver's Area B781 – Over drivers sash window	✓	✓	✓	✓	
Storage Pouch	√	✓	√	√	√
B782 - Mounted on barrier behind driver	*	*	,	*	•
Student Reminder System B793 - Delete Student Reminder System	\checkmark	✓	✓	✓	
Sunshade	√	√	√	√	√
B800 – 10"x30"	▼	V	Y	*	
Warning System-Driver Alert B805 – Transpec Driver Alert Model 7500	√	✓	✓	✓	✓
Wheel Housing B810 – Omit rear wheel housing	√		✓		✓
Wheelchair Entry B822 - Front lift door w/Braun NL919IB, 34" wide	✓	✓		✓	
Wheelchair Entry				./	
B823 - Front lift door w/Braun NCL919IB, 34" wide	V			V	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Wheelchair Entry	-/	√		_/	
B824 - Front lift door w/Ricon ADA S5003	<u> </u>	V		V	
Wheelchair Entry	\checkmark	✓		✓	
B825 - Front lift door w/Braun 1,000 lb cap. NCL3451	<u> </u>	•		V	
Wheelchair Entry	\checkmark	\checkmark	\checkmark	✓	
B828 - Midship lift door w/Braun NL919IB, 34" wide		· .	· .		
Wheelchair Entry	\checkmark	\checkmark	✓	✓	
B829 - Midship lift door w/Ricon ADA S5003 Wheelchair Entry					
B830 - Midship lift door w/Braun 1,000 lb cap.	✓	√	√	√	
NCL3451	•	•	•	•	
Wheelchair Entry			/		/
B834 - Rear lift door w/Braun NL919IB, 34" wide	✓	✓	✓		✓
Wheelchair Entry	./		./	./	./
B835 - Rear lift door w/Braun NCL919IB, 34" wide	V		•	V	V
Wheelchair Entry	-/	1	1	_/	./
B836 - Rear lift door w/Ricon lift	V	•	•	V	Y
Wheelchair Entry	\checkmark	✓	✓	✓	✓
B837 - Rear lift door w/Braun 1,000 lb cap. NCL3451		<u> </u>		,	,
Wheelchair Entry Latch	\checkmark	\checkmark	\checkmark	✓	\checkmark
B845 - 3-point latch Wheelchair Securements (L-Track)					
B850 - Sure-Lok Retraktor FF612S-4C (each)	\checkmark	√	✓	✓	✓
Wheelchair Securements (L-Track)					
B851 - Sure-Lok Retraktor Titan 800 (each)	✓	✓	✓	✓	✓
Wheelchair Securements (L-Track)				/	/
B852 - Q-Straint QRT 360 (each)	✓	Y	V	✓	✓
Wheelchair Securements (L-Track)	./		./	./	./
B853 - Q-Straint Q-8100-A1 QRT (each)	V	V	V	V	V
Wheelchair Securements (L-Track)	1		√	√	1
B854 - Q-Straint Q-8300-A1QRT (each)	<u> </u>		•	V	Y
Windows, Frost Free, Driver	\checkmark		✓	✓	\checkmark
B860 - Add frost-free driver's window			· .		
Windows, Frost Free, Upper Entrance B861 - Add frost-free upper entrance door window	\checkmark	\checkmark	✓	✓	\checkmark
Windows, Frost Free, Lower Entrance					
B862 - Add frost-free lower entrance door window	✓	✓	✓	✓	✓
Windows, Frost Free, Left-hand Passenger					
B863 - Add frost-free left-hand passenger window(s)	\checkmark	\checkmark	\checkmark	✓	\checkmark
(qty)			·		•
Windows, Frost Free, Right-hand Passenger	,	,	,	,	,
B864 - Add frost-free right-hand passenger window(s)	\checkmark	✓	✓	✓	✓
(qty)					
Window, Rear	\checkmark	\checkmark	✓	✓	✓
B870 - Tempered, 28% tinted Window, Rear	•	<u> </u>			
B871 - Laminated, 28% tinted	\checkmark	\checkmark	✓	✓	✓
Windows			,		-
B875 – Delete 28% tinted	✓	✓	✓	✓	✓
Windows		/	1	1	1
B876 - Laminated, 28% tinted	✓	✓	✓	✓	✓
Windshield	_/	./	1	_/	
B880 – 2-piece curved	<u> </u>	Y	Y	V	

CHASSIS OPTIONS

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Air Dryer	√	√	√	✓	
C101 - Bendix AD-IP dryer w/spin-on filter	· · · · · · · · · · · · · · · · · · ·	· .	•	,	
Alternator C120 – 200-amp, Bosch	\checkmark	\checkmark		✓	\checkmark
Alternator					
C121 – 200-amp, Leece-Neville	\checkmark	✓	✓	✓	
Alternator	./	./	./	./	
C122 – 220-amp, Leece-Neville	•	V	V	V	
Alternator	✓	√	√	✓	
C123 – 240-amp, Leece-Neville		,	•	,	
Alternator C124 – 270-amp, Leece-Neville	\checkmark	\checkmark	√	✓	
Alternator					
C125 – 320-amp, Leece-Neville	✓	✓	✓	✓	✓
Axle, Front; minimum load	./			./	
C140 - 8,000-lbs.	V			V	
Axle, Front: minimum load	✓			✓	
C141 - 9,000-lbs.				Y	
Axle, Front: minimum load	\checkmark			✓	
C142 - 12,000-lbs. Axle, Front; minimum load					
C143 - 14,000 lbs.		\checkmark	✓		
Axle, Front: minimum load					
C144 - 14,600 lbs.		V	V		
Axle, Rear: minimum load	1		1	1	
C150 - 19,000 lbs.	•		•	V	
Axle, Rear: minimum load	\checkmark		\checkmark	\checkmark	
C152 - 21,000 lbs. Axle. Rear: minimum load					
C153 - 23,000 lbs.	✓	✓	✓	✓	
Batteries			/		
C161 – 2 12-volt, 650-CCA	V	V	✓	v	
Batteries		1	1	1	
C162 - 2 8d, 12-volt, 1400-CCA	•		•	V	
Batteries	\checkmark	\checkmark	\checkmark	\checkmark	
C163 – 3 12-volt, 950-CCA Brake Dust Shield					
C170 – Brake dust shield on all wheels	\checkmark	✓	✓	✓	
Brakes, ESC		/	/	/	
C172 – Electronic Stability Control for Air Brakes	V	V	V	•	
Brakes, ESC	√	1	√	√	
C173 – Electronic Stability Control for Hydraulic Brakes	•	Y	•	V	
Brakes, ABS, Hydraulic	\checkmark		✓	✓	
C175 - Hydraulic, must delete all air equipment		+		•	
Brakes, ABS, Hydraulic C176 - Hydraulic, retain air accessories	\checkmark		✓	✓	
Brakes, Air Disc			/		
C178 - Air disc brakes	✓		✓	✓	
Brakes, Traction Control	√	✓	√	/	
C180 – For air brakes	▼	V	*	₩	
Brakes, Traction Control	\checkmark			✓	
C181 – For hydraulic brakes Cruise Control		,	,		
C190 - Delete Cruise Control	\checkmark	✓	✓	✓	
2170 Below Clark Control		1	J		

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Fan Drive	-/	-/	./	-/	
C195 - Electromagnetic On/Off Type	V	V	V	V	
Engine	\checkmark	√	\checkmark	✓	
C200 - Cummins ISB 200hp w/PTS2500 trans		· .	· .	,	
Engine C201 - Cummins ISB 220hp, 520 torque, PTS2500 trans	\checkmark	\checkmark	\checkmark	✓	
Engine					
C202 - Cummins ISB 240hp w/PTS2500 trans	✓	✓	✓	✓	
Engine	./	./	./	./	
C203 - Cummins ISB 250hp w/PTS2500 trans	V	V	V	v	
Engine	√	1	√	1	
C204 - Cummins ISB 220hp, 600 torque, PTS2500 trans	<u> </u>	•	Y	V	
Engine	\checkmark	\checkmark	\checkmark	✓	
C205 - Cummins ISB 260hp w/PTS3000 trans	·			,	
Engine C206 - Cummins ISB 280hp w/PTS3000 trans		✓	\checkmark		
Engine Engine					
C207 - Cummins ISB 300hp w/PTS3000 trans		✓			
Engine	-/			-/	
C208 – DD5 200 HP w/ Allison 2500 trans	<u> </u>			V	
Engine	\checkmark			✓	
C209 – DD5 220 HP w/ Allison 2500 trans				,	
Engine C210 – DD5 240 HP w/ Allison 2500 trans	\checkmark			√	
Engine					
C211 – DD8 260 HP w/ Allison 3000 trans		✓			
Engine					
C212 – DD8 280 HP w/ Allison 3000 trans		V			
Engine	√			✓	1
C218 - Gasoline Engine, 6.8 L w/Ford Trans	Y			V	•
Engine Color	\checkmark			\checkmark	
C219 - Gasoline Engine, 8.8 L w/Allison 2500 Trans Engine	•				
C220 - Propane Engine, 6.8 L w/Ford trans	\checkmark			✓	✓
Engine Engine, 6.6 E w/r ord trains					
C221 - Propane Engine, PSI 8.8 L w/PTS 2500 trans	V			v	
Engine	-/			./	
C222 - Propane Engine, 8.0 L w/Allison 2300 trans	<u> </u>			V	
Engine					
C223 - Propane Engine, 6.8 L w/ultra low NOx w/Ford	✓			✓	
trans Engine					
C230 – Soft Close Hood Support	\checkmark			✓	
Fuel Tank		/	/		
C250 - Decrease to 60-gallon		✓	✓		
Fuel Tank	√			✓	
C251 - Increase to 100-gallon diesel tank	y			٧	
Fuel Tank	\checkmark			✓	
C252 – Increase to 100-gallon gasoline tank	<u> </u>			,	
Fuel Tank C253 Ingresse to 08 cellen propens tank	\checkmark			\checkmark	
C253 - Increase to 98-gallon propane tank Full Instrumentation Package		/	/		
C260 - Low Coolant indicator with audible alarm	✓	✓	✓	✓	\checkmark
Headlights	<u> </u>	1	√	./	√
C265 – Auto Sensing Headlights	v	V	v	V	V

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Heater Block, Internal (Engine)	./			./	./
C270 – 1,000-watt	V			V	V
Heater Block, Internal (Engine)	1	1	1	1	
C273 - Delete block heater	V	V	•	V	
Heater Block Receptacle	✓	1	√	√	1
C275 – Rear receptacle (replaces front block)	•	•	•	•	•
Heater Block, Receptacle	✓	√	✓	√	✓
C276 – 2 receptacles (both front & rear)	<u> </u>	Y	•	Y	Y
Idle Management Control	\checkmark	✓	✓	✓	\checkmark
C280 - Programmable	•	,	,	· · · · · · · · · · · · · · · · · · ·	,
Motor, Starting	\checkmark	✓	✓	✓	\checkmark
C290 – Thermal overcrank protection	<u> </u>	,	,	, i	•
Paint, Wheels	\checkmark	✓	✓	\checkmark	\checkmark
C300 - Wheels finish coated black inside and out	<u> </u>	· .			,
Pedals, Adjustable	\checkmark	✓	✓	\checkmark	
C310 – Adjustable brake and accelerator pedals					
Rust Proofing	\checkmark	✓	✓	\checkmark	\checkmark
C315 – Fuel tank anticorrosion spray coating	·				
Steering	\checkmark	✓	\checkmark	✓	
C320 – Telescoping steering wheel					
Suspension C330 – Front air ride	\checkmark	✓	✓	✓	
Suspension system					
C335 - Delete air suspension from air brake bus	\checkmark	✓		✓	
Suspension system					
C336 - Delete air suspension from hydraulic brake bus	\checkmark		\checkmark	✓	
Switches, Ignition					
C350 - Keyed alike	\checkmark	✓	✓	✓	\checkmark
Tires, Michelin XZE					
C360 - 10R22.5 steer front/rear	✓	V	✓		
Tires, Michelin XZE					
C361 – 10R22.5 steer fr; mud/snow rear	✓	V	✓		
Tires, Michelin XZE	/		1		
C362 – 11R22.5 steer fr; mud/snow rear	V	V	✓		
Tires, Michelin XZE					
C363 – LoPro 255/70R22.5 steer front/rear	V				
Tires, Michelin XZE	./			./	
C364 – LoPro 255/70R22.5 mud/snow	V			V	
Tires, Michelin XZE	1				
C365 – LoPro 275/80R22.5 steer fr; mud/snow rear	•				
Tires, Michelin XZE	1				
C366 – LoPro 275/80R22.5 steer front/rear					
Tires, Michelin XZE	✓	√	✓	√	✓
C367 – 275/80R22.5H	•	•	4	V	•
Tires, Michelin XZA2J	\checkmark	✓	✓	✓	\checkmark
C368 – 295/60R22.5	•	•	•	ļ , , , , , , , , , , , , , , , , , , ,	•
Tires, Goodyear	\checkmark	✓	✓		
C370 - 10R22.5 steer front; mud/snow rear		<u> </u>			
Tires, Goodyear	\checkmark	✓	\checkmark		
C371 - 10R22.5-steer front/rear		·			
Tires, Goodyear	\checkmark				
C372 - 10R22.5 mud/snow Tires, Goodyear		+ ,		+	
C373 – 11R22.5 steer fr; mud/snow rear	\checkmark	✓	✓		
C3/3 - 11K22.3 Steel II, Hlud/SHOW Teal		1	l	<u> </u>	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Tires, Goodyear	<u> </u>	1	1		
C374 – 11R22.5 steer front/rear	V	•	Y		
Tires, Goodyear	\checkmark	\checkmark	\checkmark	✓	\checkmark
C375 – 295/75R22.5	·				
Tires, Goodyear C376 – 295/75R22.5	\checkmark	✓	✓	✓	\checkmark
Tires, Goodyear					
C377 – LoPro 255/70R22.5 steer front/rear	✓			✓	
Tires, Goodyear	./			./	
C378 – LoPro 255/70R22.5 mud/snow	V			V	
Tires, Continental	√	✓	√	\checkmark	\checkmark
C380 – 10R22.5 steer fr; mud/snow rear	· · · · · · · · · · · · · · · · · · ·	•	•	•	•
Tires, Continental	\checkmark	\checkmark			
C381 – 11R22.5 steer fr; mud/snow rear	·				
Tires, Continental C382 – 11R22.5 steer front/rear	\checkmark	✓			
Tires, Continental					
C383 – 10R22.5 steer front/rear	✓	✓	✓	✓	✓
Tires, Continental					
C384 – LoPro 255/70R22.5 steer front/rear	V			v	
Tires, Hankook	./	./	./	./	
C385 – 11R22.5 steer front/rear	V	V	V	V	
Tires, Hankook	√	√		√	
C386 – 11R22.5 steer front; mud/snow rear	V			V	
Tires, Hankook	\checkmark		\checkmark	✓	✓
C387 – 255/70R22.5	· .			,	,
Tires, Hankook C388 – 295/75R22.5	\checkmark		\checkmark	✓	\checkmark
C388 – 293/73R22.3 Tires, Hankook					
C389 – 295/75R22.5 FRT/Z35A RR	✓	✓	✓	✓	✓
Tires, Hankook			/		
C390 – 10R22.5	V	V	V	v	•
Tires, Hankook	./	./	./	./	./
C391 – 10R22.5 FT/DH01 RR	<u> </u>	•	Y	V	•
Tires, Bridgestone	\checkmark	\checkmark	\checkmark		
C392 – 11R22.5 steer front/rear	<u> </u>	•			
Tires, Bridgestone	\checkmark	✓	\checkmark		
C393 – 11R22.5 steer fr; mud/snow rear Transmission, Automatic					
C401 – Eaton DCT in Lieu of PTS 2500	✓			✓	
Transmission, Automatic					
C402 – Eaton DCT in Lieu of PTS 3000	✓			✓	
Turn Signals		./	./		
C420 - Side-mounted		V	V		
Turn Signals	√			✓	✓
C421 - Fender-mounted	.			Y	•
Warranty, Brakes, ABS, Air	\checkmark	\checkmark		\checkmark	
C431 - 5-year/125,000 miles	·	<u> </u>			
Warranty, Brakes, ABS, Hydraulic C432 - 5-year/125,000 miles	\checkmark			\checkmark	\checkmark
Warranty, Extended					
C450 – 2 year/unlimited miles	\checkmark	✓	✓	✓	
Warranty, Extended	./	1	./	_/	
C451 – 3 year/unlimited miles	V	V	•	v	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Warranty, Extended C452 – 5 year/100,000 miles	✓	✓	✓	✓	✓
Warranty, Corrosion & Structural C460 – 10 years	✓			✓	
Warranty, Engine C465 - 5-year/unlimited mileage					✓
Warranty, Towing C470 – 5 year/100,000 miles	✓	✓	✓	✓	✓
Wheels C480 - Iron hub	✓	✓	✓	✓	
Winter Warmup Equipment C490 – Winter front	✓		✓	✓	✓
Winter Warmup Equipment C491 - Hydraulic; radiator shutters	✓		✓	✓	
Winter Warmup Equipment C492 - Air; radiator shutters	✓		✓	✓	